

MINUTES of the Public Hearing of the Pembroke Town Board held on May 5, 2011 at the Pembroke Town Hall, 1145 Main Road, Corfu, NY.

PRESENT: James H. Tuttle, Supervisor

OTHERS PRESENT: Nicole M. Begin, Town Clerk; and Kristen Segebarth, J. O'Connell & Associates; Diane Klehn; Elizabeth Cook; William Brick.

The Public Hearing for proposed Water District #4 was called to order at 2:00 P.M. Nicole Begin reported she had the Notice of Public Hearing as printed in the Daily News as well as posted on the bulletin board; and the Affidavit of Posting.

Supervisor Tuttle explained the reason for this public hearing as well as the second public hearing which will be held on May 11th, at 7:00 P.M. Mr. Tuttle said that the reason we are applying for water on Indian Falls Road again is because of the need requested by the residents. Handouts regarding Water District # 4 were given to the residents in attendance.

Mr. William Brick stated his concerns regarding costs that the residents would incur from the formation of a water district down Indian Falls Road. He also was concerned about where the water would be supplied from. Mr. Tuttle said he would try and get that information for Mr. Brick.

Ms. Elizabeth Cook also had concerns about costs to her and other residents who may not be able to afford it.

Supervisor Tuttle said that water would not go down the road by just a vote from the Town Board and that if there was opposition by the residents it would go to a public vote.

Ms. Diane Klehn was looking forward to receiving water due to the strains that her well has on her financially and physically.

The residents in attendance were invited to the next public hearing on May 11th should they have any further questions or concerns.

The Public Hearing was closed at 3:04 P.M.; Meeting adjourned at 3:04 P.M.

Respectfully submitted,

Nicole M. Begin, Town Clerk

THESE MINUTES ARE A DRAFT ONLY OF THE TOWN BOARD PUBLIC HEARING OF MAY 5, 2011 AND ARE SUBJECT TO CHANGE AND/OR REVISION PRIOR TO APPROVAL BY THE TOWN BOARD.